# U.S.A. Suicide Statistics for the Year

2023 data

Version: March 2025



49,316

2022

49,476

48, 78, 2

2020

45,979

2019 47,511

18 344

## Annual Number of USA Suicides

over

49,000

currently

2023 data

### Timing of USA Suicides



## I suicide every

minutes...

10.7

12:11:00 ...

*12:22:30...* 

Average of more than 5 suicides each hour

**12:33:00...** 3



135.1 Suicides

each clay

107 men 28 women

**2023 Data** 

### Suicide - Leading Cause of Death

### **Cause of Death**

### Deaths

1	Diseases of the heart (heart disease)	203.3	680,981
2	Malignant Neoplasms (cancer)	183.1	613,352
3	Accidents (unintentional injuries)	66.5	222,698
4	Cerebrovascular diseases (stroke)	48.6	162,639
5	Chronic lower respiratory diseases	43.4	145,357
6	Alzheimer's disease	34.0	114,034
7	Diabetes mellitus (diabetes)	28.4	95,190
8	Nephritis, nephrosis (kidney disease)	16.5	55,253
9	Chronic liver disease and cirrhosis	15.6	52,222
10	COVID-19	14.9	49,932
11	Suicide (intentional self-harm)	14.7	49,316

### 11th ranking cause

## National Council for Suicide Prevention

### More Americans Die by Suicide Each Year Than by Homicide

Suicide 49,316

11th ranking cause 14.7 per 100,000


Homicide 22,830

16th ranking cause 6.8 per 100,000

116% more people killed themselves than were murdered by others

MORE THAN
TWICE THE NUMBER AND RATE

### More Americans Die by Suicide Each Year Than by Homicide



Consistently over time, more people have killed themselves than have been murdered by others

## Causes of Death by Sex in USA Ranks higher for males, lower for females Females

Rank & Cause of Death	<b>Deaths</b>
1. Diseases of heart	376,011
2. Malignant neoplasms	322,092
3. Accidents (unintentional injuries)	148,651
4. Cerebrovascular diseases	70,920
5. Chronic lower respiratory diseases	67,494
6. Diabetes mellitus	54,665
7. Suicide (intentional self-harm)	39,046
8. Alzheimer's disease	36,060
9. Chronic liver disease & cirrhosis	32,465
10. Nephritis & nephrosis	28,709

**1,617,085 total deaths** 



7th cause for males
16th cause for females

Rank & Cause of Death	<b>Deaths</b>
1. Diseases of heart	304,970
2. Malignant neoplasms	291,260
3. Cerebrovascular diseases	91,719
4. Alzheimer's disease	77,974
5. Chronic lower respiratory diseases	77,863
6. Accidents (unintentional injuries)	74,047
7. Diabetes mellitus	40,525
8. Nephritis & nephrosis	26,544
9. COVID-19	23,904
10. Hypertension	22,441
11. Influenza & pneumonia	22,006
12. Septicemia	20,831
13. Chronic liver disease & cirrhosis	19,757
14. Parkinson' s disease	15,439
15. Nutritional deficiencies	14,235
16. Suicide (intentional self-harm)	10,270

1,473,879

### total deaths

2.4% of all male deaths0.7% of all female deaths

### Causes of Death by Age in USA

### Ranks higher for young, lower for older adults


### Older Adults 65+ years olds

### Youth 15-24 years olds

Cause	Rate	<b>Deaths</b>
1. Accidents	32.2	14,126
2. Suicide	13.5	5,936
3. Homicide	13.1	5,745

### 33,711 total deaths

Rate=76.8



Rate	Deaths
935.7	551,433
778.7	461,345
237.7	140,813
212.0	125,603
190.0	112,548
124.6	73,804
115.7	68,550
76.3	45,200
74.4	44,097
66.2	39,238
62.2	36,859
59.3	35,131
53.9	31,914
36.9	21,887
35.8	21,203
28.5	16,867
23.1	13,689
17.6	10,437
	935.7 778.7 237.7 212.0 190.0 124.6 115.7 76.3 74.4 66.2 62.2 59.3 53.9 36.9 35.8 28.5 23.1

17.6% of young deaths

0.5% of elderly deaths

total deaths

2,310,872

2nd ranking cause for young (15-24 yrs) 18th ranking cause for older adults (65+ yrs)

### Causes of Death by Age in USA

Age Groups

Rank	10-14	15-24	25-34	35-44
1	Accidents 914	Accidents 14,126	Accidents 30,163	Accidents 36,159
2	Suicide 481	Suicide 5,936	Suicide 8,453	Heart Disease 11,528
3	Malignant Neoplasms 463	Homicide 5,745	Homicide 5,828	Malignant Neoplasms 11,291
4	Homicide 338	Malignant Neoplasms 1,463	Malignant Neoplasms 3,503	Suicide 8,533
5	Congenital Anomalies 192	Heart Disease 835	Heart Disease 3,474	Chronic Liver Disease 5,013

Suicide ranks
among the
Top 4 Causes
for all age groups 10 to 44 years of age and 2nd for ages *10-14, 15-24.* and 25-34

### 11th ranking cause for nation


**45-54:** 5<sup>th</sup> [7,653] 55-64: 8th [7,816] 65+: 18th [ 10,437 ]

**2023 Data** 

### **Years of Potential Life Lost - 75**

Over 300,000 years of potential life lost

before age 75 occurred as a result of suicides for ages 15-24, 25-34, and 35-44 each over 300,000 in 2023\*



1,395,220 total YPLL-75

\*Over 1.2 million YPLL associated with suicides from 15-54 yrs of age (over 1 million from 15-44)


YPLL-75 is calculated: 75 minus the middle age for the age group, times the number of deaths

Nearly 1.4 Million Years of Potential Life Lost to Suicide As this statistic is calculated, the 4,975 suicide deaths age 75 and above are not represented.

No Sp

### **Years of Potential Life Lost - 75**

Suicide is the 4th ranking cause of death for Years of Potential Life Lost to Age 75 in 2023




## C. M.C.C.

### Of every 10 suicides:

**2023** data


### Sex/Gender



79.2% **8 Males** 

2 Females

### Race & Sex/Gender





Ť

7 White Males 6.8

Highest Risk:
White males,
esp middle aged

2 White Females 1.8 and old

1 Nonwhite 1.4 (1.1 Men; .3 Women)

Race AAAAAAA

9 Whites

1 Nonwhite

14.3%

## Methods in USA Suicide Prevention



% of Total

Number

Firearms 55.4% 27,300 25

> 5 of every 10 suicides by firearms

Suffocation 24.4% 12,023 revent



Poisoning (solid and liquid and gas)

12.1% 5,944



All Other Methods

8.2% 4,049

Firearms the leading method

49,316 total suicides

Note: Totals may not equal 100% due to rounding

### Sex & Suicide Methods

Firearms the leading method for Males.

Females historically have used poisons most, then firearms, but each year since 2018 firearms 1st and poisons 2nd

Males

Females

**Firearms** 

Suffocation incl. hanging, strangulation 24.0% 9,364

Poisoning (solid and liquid and gas)

**All Other Methods** 

60.7% 23,707 35.0% 3,593 of a second second

**7.4%** 2,904

**7.9%** 3,071

**25.9%** 2,659

**29.6%** 3,040

9.5% 978

**Total Number** 

39,046

10,270


49,316 total suicides in 2023





Suicide highest in the Mountain States

National Council for Suicide Prevention



Ranking of Top States

1 Alaska

2 Montana

3 Wyoming

4 Idaho

5 New Mexico


6 Colorado

7 Oklahoma

8 Nevada


9 Oregon

10 Utah



National Council for Suicide Prevention USA Suicide by Sex





Number of Suicides


M:F Ratio 3.80

Suicide Rates

**M:F Ratio 3.87** 

## tional Council for Suicide Prevention

### USA Suicide by Race




Nı	ımber of Suicides
%	of Suicides
%	of Population

<u>White</u>	<u>Nonwhite</u>

<i>42,259</i>	7,057
<b>Tム,ムリノ</b>	1,031

<b>5</b> .	7%	14.3	%



White Suicide Rates

are nearly twice those

of Nonwhites

as a whole


Suicide Rate per 100,000 population



### USA Suicide by Race & Sex

White males have highest rates

National Council for Suicide Prevention




Rate per 100,000 population

Kate Number

### USA Suicide by Age



### Rates generally increase with age



Bimodal pattern

Peaks in Adult to Middle Age and then Late Life


10-yr age group data



**2023 Data** 

### USA Suicide by Age & Sex

Different age patterns for males and females



### Males



Nation


### Females

Rate per 100,000 population

## National Council for Suicide Preventior

### Suicide Rates by Age, Sex, Race

- Males at higher risk at all ages
- Different age patterns by race




**White Males** 

**Nonwhite Males White Females** 

Nonwhite Females

10-yr age group data

Numbers & Proportions Percent of Suicides:



National Council for Suicide Prevention

### USA Suicide & Ethnicity

### Suicide Rates 2023

	Suiciue Rules 2025		
	Rate	Number	Although the number of
More than 1 Race	7.2	748	cuicidas is avamuladurinalis
Matina Hawaiian		- 6	suicides is overwhelmingly
Native Hawaiian / Pacific Islander	15.8	142	Although the number of suicides is overwhelmingly White, as is
Asian	6.7	1,443	the U.S. population, the risk of $\frac{1}{2}$
Black / African American	8.9	4,087	suicide (i.e., the rate) shows wide
Hispanic*	8.1	5,281	variability for specific ethnic
			groups
NATION	14.7	49,316	
American Indian / Alaska Native	14.2	637	

Rate per 100,000 population


42,259

16.8



/ Alaska Native

White




1981-2023 data

National Council for Suicide Prevention

## **USA Suicide & Ethnicity Suicide Rates 1981-2023**

With few exceptions, suicide rates have been


higher for Whites and slightly lower for American Indians




Rates per 100,000 population

### USA Suicide Rates - Trends

National rates steady to recent slight tendency toward increase




Older Adult rate decreases long-term Youth rate increases long-term




1933-2023 data

Youth suicide increased through the late 1970s,



National Council for Suicide Prevention





**2023 Rates** Youth (15-24) 13.5 per 100,000 Nation 14.7 per 100,000

238% increase from 1956 (4.0) to 2023 (13.5)

### Trends in Youth Suicide by Sex








## Proportion of USA Suicide Prevention by Age Groupings/Life Periods


Adult populations aged 45-64 and 25-44 years comprise the largest absolute <u>number</u>, <u>rate</u>, and <u>proportion</u> of suicides



Note: Age was not stated for 1 death in 2023.

Latest year data, 2019

### International Comparisons National Council for Suicide Prevention Output Description Outp



Note scale differences for rates; age-adjusted rates displayed (per 100,000 population)

USA does not have highest suicide rates

Data from World Health **Organization** 

### Suicidal Behavior Estimates 2023 SAMHSA (2024) study suggests:

### In the past year:

- 1.5 million American adults attempted suicide (0.6% of adults)
- 3.7 million adults made a plan (1.4% of adults)
- 12.8 million adults had serious thoughts (5.0% of adults)

**Adults** 

Adults = ages 18 and above

 856,000 American adolescents attempted suicide (3.3% of adolescents)

National Council for Suicide Prevention

- 1.5 million adolescents made a plan (5.6% of adolescents)
- •3.2 million adolescents had serious thoughts (12.3% of adolescents)

Adolescents = ages 12-17 years

### Suicidal Behavior Estimates 2023 SAMHSA (2024) study suggests:

Ages 12 and above TOTAL: In the past year:



Note: <u>Not</u> included in these total estimates would be suicidal behaviors among those younger than 12 years of age.

- 2,356,000 Americans
   12 yrs and above
   attempted suicide
- 5,200,000 aged 12 and up made a suicide plan
- 16,000,000 ages 12 and up had serious thoughts of suicide

Survey Year 2023 data

[Adolescent + Adult Figures]

National Survey on Drug Use and Health (NSDUH)

### Attempted Suicides (Nonfatal Outcomes)

Based on 2023's 2.356 million attempted suicides, there is

### 1 attempt every 13 seconds



National Council for Suicide Prevention



Estimates are that there are

3 females who attempt for Suicide Prevention

For each male who

for each male who




**2023 Data** 

### Suicidal Thoughts and Behaviors, **NSDUH** respondents

18 years and older, were asked if they had serious thoughts of suicide or attempted

### Race/Ethnicity



NH = Not Hispanic or Latino: AIAN = American Indian or Alaska Native: Black = Black or African American: Hispanic = Hispanic or Latino; > 1 race = Multiracial; NHOPI = Native Hawaiian or Other Pacific Islander.

<sup>\*</sup> National Survey on Drug Use and Health (NSDUH) 2023 data, Behavioral Health by Race and Ethnicity (2025)

# In the typical high school classroom...



Classroom...

1 male and 2 females for Suicide Prevention have probably attempted suicide in the past year

These figures are consistent with 2023 YRBS data: 12.6% of high-school females and 6.4% of males had attempted suicide in the past year. In a classroom of 30 students split evenly by sex, 2 females and 1 male would have attempted in the past year.

Youth Risk Behavior Surveillance, USA, 2023 (CDC, 2024)

Original source: King (1997, p. 66)

King, Cheryl A. (1997). Suicidal behavior in adolescence. In Ronald W. Maris, Morton M. Silverman, & Silvia S. Canetto (Eds.), *Review of suicidology, 1997* (pp. 61-95). New York: Guilford Press.

In the past year: School Students




National Council for Suicide Prevention

Percentage of 9th- to 12th-grade students 15 10 5 1/50 seriously considered made attempt attempted made a attempting requiring suicide plan suicide suicide treatment 20% 16% 10% 2%

Youth Risk Behavior Surveillance, USA, 2023 (CDC, 2024)

# Suicidal Behavior in High School Students by Sex

In the past year:



All figures higher in young *females* 

Youth Risk Behavior Surveillance, USA, 2023 (CDC, 2024)

### For every Suicide death:

### There are 5 hospitalizations



and 22 emergency department visits for suicidal behavior

Implies more than 1,084,952 visits in 2023 and 246,580 hospitalizations

## National Council for Suicide Prevention Number of Suicide Loss Survivors suicide are suicide that there are Afternare than 6\* loss survivors are than 6\* loss survivors

for each death by suicide

'suicide loss survivor" is someone who has lost a loved one to death by suicide and is intimately affected<sup>s</sup>




§High levels of distress for a considerable length of time after exposure (Jordan & McIntosh, 2011) Suicide bereaved, long (attachment bond presumed) (Cerel et al., 2014)

\*A long-standing 6:1 non-data based estimate has been widely used (Shneidman, 1969)

Individuals who experience a major life disruption or devastating effect

Ratio implies more than 295,896 survivors in 2023 41

### Number of Suicide Loss Survivors The ratio of more than 6 survivors per suicide implies that:



135 Suicides per day = 810 Survivors each day

National Council for Suicide Prevention

1 Suicide every 11 mins. = 6 Survivors each 11 mins.

> more than 30 Survivors each hour




### Loss Survivors in USA Population

Based on estimates, \* there are more than 6 loss survivors per suicide

A long-used non-data based estimate (Shneidman, 1969) was 6:1

> 5.9 million



Loss Survivors in USA Population

5,914,632

*985,772 suicides* 

Suicides 1999-2023

over the last 25 years as a conservative estimate

1 of every 57 Americans

(1.8% of pop)

### How often suicidal behavior occurs

One suicide every

more than

6 survivors every

One nonfatal attempt every

One older adult suicide (65+) every

One youth suicide (<25) every

One middle age Suicide (45-64) every

00:10:42

00:10:42

00:00:13

00:50:28

01:21:48

00:33:36

49,316 suicides in 2023

135.1 per day

more than **295,896 survivors in 2023** 

(@ more than 6 per suicide) more than 810 per day

**2,356,000 attempts in 2023**6,455 per day

**10,437 suicides in 2023** 28.6 per day

6,423 suicides in 2023 (15-24=5,936; 5-14=487) 16.3 per day

15,469 suicides in 2023 42.4 per day

hr:min:sec

45-64 yrs

65+ yrs

Nation

Males

White

15-24 yrs

Females

Nonwhite

10-14 vrs


### Recent Trends: 1990s - 2023

C. M.C.

\* exceptions:

\* exce


Nearly all groups saw increases since 2005 and nearly all decreased in 2019 and 2020 but increased in 2021 and 2022 but nearly all declined in 2023



1990-2023


Nationally, rates mostly declined\* from 1990-2005, with increases for most groups from 2020 to 2022, but small decreases in 2023

National Council for Suicide Prevention



### Trends in USA Rates by Race








### Trends in USA Rates by Race and Sex







**Nonwhite Males** 

**White Females** 


Nonwhite Females

# Suicide Rates for Young Age Groups, 1933-2023






# Suicide Rates by Sex for Young Age Groups, 1933-2023



### Youth Suicide Trends






1960 1965 1970 1975 1980 1985 1990 1995 2000 2005 2010 2015 2020

- Young female rates have changed little over time, but increased recently
- Young male rates increased over time, Then decreased, and increased again
- Increases for young Black/African Americans of both sexes
- Rates for young Black/African
   Americans and Whites currently comparable from 15-24 years of age

1960-2023

### Monthly Variation in Suicide


National Council for Suicide Prevention



Spring, Summer Peak in Suicides typically

### Suicide Variation by Days of Week

National Council for Suicide Prevention




# National Council for Suicide Prevention

### Number of USA Suicides per day



Mean/Average = 135.1






### Timing of USA Suicide Prevention




suicide every 10.7 minutes in 2023

1933-2023









National Council for Suicide Prevention

### USA Suicides by Firearms



> 5 of every 10 suicides

uses a firearm



1949-2023

 Firearms are the most frequent suicide method by males, and in 2023 1st for females (poisons are 2nd)

• Firearm use showed long-term increases for both males and females, with decreases and recent stability until the last 4 years for both sexes

2023:

Males 60.7% Females 35.0%

Percent of Suicides by Firearms

al Council for Suicide Prevention -

### Ratios of Suicide Rates & Racial Groups

**Ratio of Rates** 

2.0

to

2.0

to

1.8


to



Rates 16.8 White



*8.5* **Nonwhite** 



26.8 White **Males** 



13.6 **Nonwhite Males** 



6.8 White **Females** 

1.9



National Council for Suicide Prevention

**Nonwhite Females** 

**Ratio of Rates** 

1.9

to







to



*6.8* White **Females** 







*3.5* Black **Females** 

Rates 16.8 White


**2023 Data** 



**8.9** Black



**26.8** White Males




14.8 **Black** Males


# National Council for Suicide Prevention


### USA Suicide by Age

### Rates generally increase with age



Rate pattern is *bimodal* (peaking in early/middle <u>and</u> late adulthood)






**2023 Data** 




# USA Suicide by Age: National Council for Suicide Prevention USA Suicide by Age: Number/Rate






### USA Suicide by Age: Trends

### Rates by age have shown dramatic change



Young rates (< age 45) have increased while those over age 55 have decreased.

Rates by age have shown dramatic change




National Council for Suicide Prevention


### USA Suicide by Age: Adult Trends


• Older adult males over 75 remain *higher* than middle aged (45-64) males

• Older adult females have always been at slightly *lower* risk than middle aged females

### Dramatic changes








### Suicide Rates by Race and Age





10-yr age group data

### Key

BLKAA = Black / African American


AIAN = American Indian /

Alaska Native

NHOPI =
Native
Hawaiian &
Other Pacific
Islanders

Note: Missing data points indicate that the number of deaths was less than 10 and were suppressed by CDC/NCHS. It does not necessarily mean that the number was zero. Substantial data were suppressed for Native Hawaiian & Other Pacific Islanders.

### Suicide Rates by Race and Age



5-yr age group data

### Key

BLKAA = Black / African American

AIAN = American Indian / Alaska Native


> 1 Race = More Than 1 Race

NHOPI = Native Hawaiian & Other Pacific Islanders

Number of deaths ages 5-9 were less than 10 for all racial groupings.

Note: Missing data points indicate that the number of deaths was less than 10 and were suppressed by CDC/NCHS. It does not necessarily mean that the number was zero. Substantial data were suppressed for Native Hawaiian & Other Pacific Islanders.

### Suicide Rates by Race, Sex, and Age



10-yr age group data

### Key

BLKAA = Black / African American

AIAN = American Indian / Alaska Native

> 1 Race = More Than 1 Race

NHOPI = Native Hawaiian & Other Pacific Islanders

Note: Missing data points indicate that the number of deaths was less than 10 and were suppressed by CDC/NCHS. It does not necessarily mean that the number was zero. All data were suppressed for Native Hawaiian & Other Pacific Islander females.


### Suicide Rates by Race/Ethnicity and Age

Rates per 100,000 population

**Both Sexes Combined** 

Note: Missing data points indicate that the number of deaths was less than 10 and was suppressed by CDC/NCHS. It does not necessarily mean that the number was zero.

10-yr age group data



### <u>Key</u>

NH White = White Non-Hispanic

NH BLKAA = Black/African American Non-Hispanic

NH AIAN = American Indian/AK Native Non-Hispanic

NH Asian = Asian / Pacific Islander Non-Hispanic

NH NHOPI = Native Hawaiian or Other Pacific Islander Non-Hispanic

NH > 1 Race = More than 1 Race Non-Hispanic


HISP = Hispanic or Latino

### Suicide Rates by Race/Ethnicity and Age

Rates per 100,000 population *Males* 

Note: Missing data points indicate that the number of deaths was less than 10 and was suppressed by CDC/NCHS. It does not necessarily mean that the number was zero.

10-yr age group data



### Males

### Key

NH White = White Non-Hispanic

NH BLKAA = Black/African American Non-Hispanic

NH AIAN = American Indian/AK Native Non-Hispanic

NH Asian = Asian / Pacific Islander Non-Hispanic

NH NHOPI = Native Hawaiian or Other Pacific Islander Non-Hispanic

NH > 1 Race = More than 1 Race Non-Hispanic

HISP = Hispanic or Latino


### Suicide Rates by Race/Ethnicity and Age

Rates per 100,000 population

### Females

**Note: Missing** data points indicate that the number of deaths was less than 10 and was suppressed by CDC/NCHS. It does not necessarily mean that the number was zero.

10-yr age group data



# Age Females

### Kev

NH White = White Non-Hispanic

NH BLKAA = Black/African American Non-Hispanic

NH AIAN = American Indian/AK Native Non-Hispanic

NH Asian = Asian / Pacific Islander Non-Hispanic

NH NHOPI = Native Hawaiian or Other Pacific Islander Non-Hispanic

NH > 1 Race = More than 1 Race Non-Hispanic

HISP = Hispanic or Latino

### Suicide & Marital Status






Largest number of suicides by single and married

Highest rate of suicide by divorced

2021 data\*



All figures age 15 and above.


\*2022 and 2023 population data by marital status not yet available for rate calculations.

\*Marital status missing or unknown for 443 deaths.

Number of 2022 suicides: Married 15,597; Single 19,738; Divorced 9,991; Widowed 3,102. Number of 2023 suicides: Married 15,387; Single 19,821; Divorced 9,996; Widowed 3,099

#### Regional Differences in USA Suicide

Suicide highest in the West




49.476 National Suicides

### State Suicide Rates

2023 Suicide rates highest in

the Mountain States and West




National Council for Suicide Prevention

# National Council for Suicide Prevention

#### Youth Suicide Rates by State



Youth Suicide generally highest in the Mountain States




15-24 years of age


*2023* 

#### Older Adult Suicide Rates by State

Older Adult suicide highest in the Mountain and Western States



65+ years of age





National Council for Suicide Prevention

Injury Mortality

Solution Suicide Prevention

1999-202





After 6 years as first (2009-2014), suicide has become the second ranking cause of injury mortality

See Rockett et al. (2012), American Journal of Public Health

#### Methods in USA Youth Suicides

% of Total

Number



55.2% 3,274

National Council for Suicide Prevention

> 5 of every 10 suicides by firearms



Suffocation 26.1% 1,549

(including hanging, strangulation)



Poisoning (solid and liquid and gas)

9.0%

*536* 




All Other Methods

9.7%

Firearms the leading method


5,936 total suicides 15-24 yrs of age



National Council for Suicide Prevention USA Deaths by Firearms Homicide Suicide 17,927 27,300 58.4% 38.4% Nearly 6 of every 10 Firearm Deaths are Suicides Suicide Homicide 604 (1.3%) Legal Intervention 463 (1.0%) Unintentional 46,728 firearm deaths 434 (0.9%) Undetermined Intent total in 2023

#### Sex & Suicide Methods: Youths aged 15-24 yrs





Firearms the leading method for Young Males

Young Females used hanging most, then firearms

	M	a	es
--	---	---	----

# Toung Males Then firearms Females 30.5% 359

**Firearms** 

61.2% 2,915 30.5%

Suffocation incl. hanging, strangulation

23.6%

1,122 36.3%

Poisoning (solid and liquid and gas)

5.8%

278 21.9%

**All Other Methods** 

9.3% 445 11.2%

**Total Number** 

4,760

1,176



Suicide in 2023 is the 2<sup>nd</sup> leading cause of death among young females and 3rd for young males ages 15 to 24

#### National Council for Suicide Prevention

#### Methods in USA Older Adult Suicides



% of Total

Number

#### Firearms

70.7% 7,379

7 of every 10 suicides by firearms

Poisoning 12.3% 1,283

(solid and liquid and gas)



Suffocation 10.5% 1,100 (including hanging, strangulation)



All Other Methods

6.5%

Firearms the leading method

10,437 total suicides 65+ yrs of age

#### National Council for Suicide Prevention Sex & Suicide Methods: Older Adults aged 65 and above years

Firearms the leading method for Older Adult Males

Plder Adult Females used poisoning & firearms in similar number §

	<u>Males</u>		<u>Females</u>	
Firearms	<b>77.7%</b>	6,665	38.5%	714
$Suffocation \   {\it incl. hanging, strangulation}$	<b>10.1%</b>	863	<b>12.8%</b>	237
$Poisoning \ \ (solid \ and \ liquid \ and \ gas)$	<b>6.7%</b>	571	38.4%	712
All Other Methods	<b>5.6%</b>	483	10.5%	192

**Total Number** 

8,582

1,855





Both older adult males and females utilize firearms more often in their suicides than males and females in the population as a whole

Note: Totals may not equal 100% due to rounding

#### National Council for Suicide Prevention

#### Causes of Death by Age in USA

#### Percent of deaths (rate)

Age Group	Age	Grou	p
-----------	-----	------	---


Rank	5-44			
1	Unintentional Injury 82,046	38.6%	(46.9)	
2	Suicide 23,409	11.0%	(13.4)	
3	Malignant Neoplasms 17,107	8.1%	(9.8)	Suicide ranks 2 <sup>nd</sup>
4	Homicide 16,585	7.8%	(9.5)	for ages 5 to 44 years
5	Heart Disease 16,010	7.5%	(9.2)	

212,501 total deaths age 5-44


Source: CDC WONDER

Note: Deaths below 5 years of age cannot be classified as suicide

**2023 Data** 



#### Suicide Rates Ages 18-29 years: Sex



"Emerging Adults"

Male rates higher than Female rates

1999-2023

Increases for both males and females ages 18-29 from 1999 to 2023, males decreases from 2021 to 2023, females stable rates

#### Methods in USA 18-29 Years Suicides

"Emerging Adults"

Number



### Firearms 55.0% 4,877

National Council for Suicide Prevention

> 5 of every 10 suicides by firearms



### Suffocation 26.7% 2,365

(including hanging, strangulation)



#### Poisoning (solid and liquid and gas)

9.2%

*815* 



## All Other Methods

9.2%

*815* 

Firearms the leading method, Suffocation 2nd

8,872 total suicides 18-29 years of age

## Sex & Suicide Methods: Ages - 18-29 years "Emerging Adults"

Firearms the leading method for Males Age 18-29

Females Age 18-29 used firearms most often, suffocation close second

	<u>Male.</u>	<u>S</u>	<u>Femal</u>	es de
Firearms	<b>59.7%</b>	4,311	34.3%	566
Suffocation incl. hanging, strangulation	<b>25.1%</b>	1,814	33.4%	551
Poisoning (solid and liquid and gas)	<b>6.3%</b>	453	22.0%	362
All Other Methods	8.9%	639	10.3%	182

**Total Number** 

7,224

1,648






The lower use of poisons by females occurs among ages 18-29 (as well as 15-24 and 25-44)

Note: Totals may not equal 100% due to rounding

1981<del>-</del>2023 data

Suicide Methods Trends: Nation



Firearms the leading method, with increases after long-term declines.


National Council for Suicide Prevention


**Poisoning** decreasing or steady throughout, **Suffocation** increasing since mid-1990s

"Suffocation" refers to hanging, strangulation, and suffocation deaths; "Poisoning" includes all poison deaths. solid, liquid, gas, etc.

> All other methods combined represent less than 10% of suicides.

#### Suicide Methods Trends: Sex





All other methods <u>combined</u> represent less than 10% of suicides for any group.







Poi slip


**Poisoning** recent decreases among females slipping from first to 2<sup>nd</sup> and in some years 3<sup>rd</sup> behind Firearms and Suffocation

National Council for Suicide Prevention

#### Suicide Methods Trends: Age







National Council for Suicide Prevention

All other methods <u>combined</u> represent less than 10% of suicides for any group.

1981-2023 data


Firearms the leading method for young, and older adults, with recent increases after long-term declines.

Suffocation has increased over time among young, while Poisoning has declined

#### Rankings of USA States: Suicide


#### Ranking of States by Crude Rates

National Council for Suicide Prevention



Suicide highest in the Mountain States & West


National Council for Suicide Prevention





18-29 years of age

"Emerging Adults"

Suicide Methods Trends: National Council for Suicide Prevention








Poisoning decreasing or steady throughout, Suffocation increased from the mid-1990s with recent decreases

"Suffocation" refers to hanging, strangulation, and suffocation deaths; "Poisoning" includes all poison deaths, solid, liquid, gas, etc.

After firearms, suffocation, and poisoning, all other methods <u>combined</u> represent less than 10% of total suicides.


#### Regional Differences in USA Suicide

Suicide highest in the West



#### Divisional Differences in USA Suicide

#### Suicide highest in the Mountain States



Exposure to a Death by Suicide

Exposure is not equivalent to suicide exposed

Suicide Loss survivor.

Suicide affected

Suicide bereaved, short term

Suicide bereaved, long term

"suicide loss survivor,"
but among the "exposed"
are those who experience
a major life disruption
and are intimately
affected as well as others

National Council for Suicide Prevention


From: Cerel, McIntosh, Neimeyer, Maple, & Marshall, With Various levels of impact 2014, Suicide and Life-Threatening Behavior, 44(6), 591-600.

An empirical estimate is 135 individuals exposed for each suicide Cerel et al. 2019, Suicide & Life-Threatening Behavior, 49(2), 529-534.

While there is not yet definitive evidence for the number of survivors, the "exposed" might include as many as 40-50% of the population\*

National Council for Suicide Prevention

Mean Daily Firearm Suicides by Sex Suicides by firearms have increased, particularly for males



2023 (per day) Total


Males


Females 9.8

## C. A. C.C.

#### Recent Trends: 1999 - 2023

\* The CDC published reports in *2018* highlighting the national and state increases from 1999 to 2016 (e.g., see **NCHS Data Brief** No. 328) - and a 2020 report extends the analysis to 2018 and continued increases (e.g., see NCHS Data Brief No. 362).





% Change from 1999 to 2023

1999-2023


Slight decreases in 2023 for nearly all groups

Nationally, rates increased significantly\* for almost all groups from 1999 to 2018 and 2020 levels

# ational Council for Suicide Prevention

#### Middle Age Suicide Rates





Generally, highest rates for those 45-54 years, but rates converged in 2018-2019 and again in 2022 and 2023


1999-2023

Steady increases for both 45-54 and 55-64 middle-age adults from 1999 to 2017, declines 2019-20

# ational Council for Suicide Prevention

#### Middle Age Suicide Rates: Sex






Steady increases for middle-age males from 1999 to 2018 (2019 and 2021 declines), with females increasing until 2015 and plateauing

## Middle Age Suicide Rates by State

Middle Age suicide highest in the Mountain and Western States



45-64 years of age

#### Methods in USA Middle Age Suicides



Method

% of Total

Number

### Firearms

53.1% 8,208

5 of every 10 suicides by firearms



Suffocation 23.3% 3,600

(including hanging, strangulation)



Poisoning
(solid and liquid and gas)

15.1% 2,335



All Other Methods

8.6% 1,326

Firearms the leading method

15,469 total suicides 45-64 years of age

National Council for Suicide Prevention

#### Sex & Suicide Methods: Middle Age - 45-64 years




Firearms the leading method for Middle Age Males

Middle Age Females used poisoning most often, firearms close second

	<u>Mal</u>	<u>es</u>	<u>Femal</u>	les Suicide Pr
Firearms	<b>58.6%</b>	6,964	34.7%	1,244 n
Suffocation incl. hanging, strangulation	24.0%	2,856	20.8%	744
Poisoning (solid and liquid and gas)	9.0%	1,072	35.3%	1,263
All Other Methods	8.4%	996	9.2%	330
Total Number	11,888		3,581	

#### Suicide Rates Ages 25-44 years: Sex





Male rates higher than Female rates

1999-2023

Increases for both males and females ages 25-44 from 1999 to 2018, male increases 2019-21, females decreases to stable

lational Council for Suicide Prevention -

# Methods in USA 25-44 Years Suicides



% of Total

Number

## Firearms

48.6% 8,252

> 4 of every 10 suicides by firearms



Suffocation 32.5% 5,526

(including hanging, strangulation)



#### Poisoning (solid and liquid and gas)

10.3% 1,754



# All Other Methods

8.6% 1.454

Firearms the leading method, Suffocation 2nd

16,986 total suicides 25-44 years of age

Note: Totals may not equal 100% due to rounding

## Sex & Suicide Methods: Ages - 25-44 years



Firearms the leading method for Males Age 25-44 but use of suffocation higher than in adults 45+

Females Age 25-44 used firearms most often, suffocation close second

	<u>Male</u>	<u>S</u>	<u>Femal</u>	es a
Firearms	<b>51.8%</b>	7,009	36.1%	1,243
Suffocation incl. hanging, strangulation	32.7%	4,422	32.1%	1,104
Poisoning (solid and liquid and gas)	<b>7.2%</b>	979	22.5%	775
All Other Methods	8.4%	1,133	9.3%	321

Total Number

13,543


3,443





The low use of poisons by females occurs only in the 25-44 and 15-24 age groups


#### Suicide Methods Ages 25-44 years: Trends



Firearms
rates higher
than
Suffocation
rates, but
gap closed
over time and
Poisoning has
declined
slightly

1999-2023

Large increases for Suffocation for ages 25-44 from 1999 to 2019



Sex

Firearms
rates higher
than
Suffocation
rates for
males, but
gap has
closed over
time


Poisoning has declined for both males and females (and is 3<sup>rd</sup> for females)

1999-2023

Increases for Suffocation for males and females ages 25-44 from 1999 to 2019, but especially males


# 25-44 Years Suicide Rates by State


Suicide highest in the Mountain States



25-44 years of age


#### Highest rates consistently among females 25-54 years





Lowest rates among elders (65+) and the young (<25)

Most age groups increased in 2022 and age groups 55 up increased in 2023




10-yr age group data

NCSS S

#### Changes in State Suicide Rates 1999 to 2023


Every state had increases in crude suicide rates from 1999 to 2023



% Change from 1999 to 2023

Percent of Total Suicides

USA Suicide S by Firearms




When firearms represent over 50% of all suicides, that means that firearm suicides <u>exceed</u> all other suicide methods COMBINED

Firearm suicide has been over 50% every year since 1968 (except 2014, 49.9% and 2015, 49.8%) Firearm suicides have

Percent of Suicides by Firearms

exceeded 50% for males every year since 1952


#### *In the past year:*



**Trends** across time in Suiciderelated Behaviors

Youth Risk Behavior Surveillance System (CDC, 2023, data for 2021)

National Council for Suicide Prevention



2018, 2019, 2021, 2022, and 2023's rates of suicide not seen for 80 years 1900-2023 & 1933-2023 data

# Firearm Suicides:


Percentage of suicides and total firearm deaths

Suicides

55%

55.4% (27,300 of 49,316)

= firearm suicide/death





Firearm Deaths

National Council for Suicide Prevention

58%

58.4% (27,300 of 46,728)


# Veteran Suicides:

Average Daily Number of Veteran Suicides



**17-18** Veteran Suicides each day

> 17.6 (2022) Mean for 2001-2022 = 17.5




# Veteran Suicides:

#### Veteran Suicide Rates



Veteran suicide rates are higher than the national rates\*

Vets 34.7 vs. Nation 18.4 (2022)



\* Note that age and sex differences in the veteran and national populations account for a portion of these differences.

Source: U.S. Department of Veteran Affairs (2024), 2024 National Veteran Suicide Prevention Annual Report


# Veteran Suicides:

Veteran Suicide Rates by Sex and Age





Veteran suicide rates highest among those 18-34 years



\*55+ for women


Source: U.S. Department of Veteran Affairs (2024), 2024 National Veteran Suicide Prevention Annual Report



# Veteran Suicides:

Veterans in VHA Care\*: Suicide by Race

Unadjusted Suicide Rate, Recent Veteran VHA Users, by Race, 2017-2022





No rates by race were published in the 2024 (data year 2022) annual Veteran Suicide Prevention Annual Report for all Veteran suicides. Only this figure from the report, representing Veterans in VHA care was included.


Source: U.S. Department of Veteran Affairs (2024), 2024 National Veteran Suicide Prevention Annual Report, Part 1 of 2: In-Depth Reviews, p.26

# Veteran Suicides:

#### Percent of Veteran Suicides by Method



Veteran suicides are most often by firearms




State rates published in individual state reports by the Department of Veteran Affairs.

# Military Suicides:

Military Suicides by Divisions, 2017-2023




All groups include those in Army, Marine Corps, Navy, and Air Force branches.



Total number of suicides:

More than 1 suicide each day

Source: U.S. Department of Defense (2024), Annual Suicide Report: Calendar Year 2023 Military Suicides by Branches, 2017-2023




National Council for Suicide Prevention

# Military Suicides:

Military Suicides by Divisions and Sex, 2023



Men account for over 90% of military suicides



National Council for Suicide Prevention

All groups include those in Army, Marine Corps, Navy, and Air Force branches. 523 suicides in 2023: Males 485 • Females 38 Males 92.7% • Females 7.3%

# C. M.C.S.


National Council for Suicide Prevention

# Military Suicides:

Military Suicides by Age, 2023



75.7% of military suicides occurred in ages 20-34



523 total suicides in 2023: 396 ages 20-34

Source: U.S. Department of Defense (2024), Annual Suicide Report: Calendar Year 2023


# Military Suicides:

#### Military Suicides by Method, 2023




Firearms & Suffocation account for essentially 90% of the suicides for all divisions

2023 data did not include numbers of suicides by methods. These were the only methods and figures reported.



523 total suicides in 2023

Source: U.S. Department of Defense (2024), Annual Suicide Report: Calendar Year 2023 Highest rates among men 75-84 & 85+ years




National Council for Suicide Prevention

#### Suicide Rates by Hispanic Origin, 1990-2023

# C. M.C.S.

#### **Both Sexes Combined**



#### Key

NH White = White Non-Hispanic

NH Black = Black/African American Non-Hispanic

NH AIAN = American Indian/AK Native Non-Hispanic

NH Asian = Asian Non-Hispanic

NH NHOPI = Native Hawaiian or Other Pacific Islander Non-Hispanic

NH MT1R = More Than 1 Race Non-Hispanic

Non-Hispanic American Indian/Alaska Native highest in recent years


132


### Suicide Rates, Hispanic & Single Race 6,

**Total** (Both Sexes Combined)

2018-2023







2018-23 Avg Rate

Red line indicates the national average for the 6-year period 2018-2023, at 14.5 per 100,000 population.

Increases AIANs & High White Rates

Key

White = White

Black/Afr American = Black/African American

AIAN = American Indian/Alaska Native

Asian = Asian


NHOPI = Native Hawaiian or Other Pacific Islander


MT1R = More Than 1 Race

Hispanic = Hispanic or Latino

# Suicide Rates, Hispanic & Single Race 6, Males 2018-2023







2018-23 Avg Rate

Red line indicates the national average for Males for the 6-year period 2018-2023, at 23.3 per 100,000 population.

Increases AIAN Males & High White Male Rates

Key

White = White

Black/Afr American = Black/African American

AIAN = American Indian/Alaska Native

Asian = Asian


NHOPI = Native Hawaiian or Other Pacific Islander


MT1R = More Than 1 Race

Hispanic = Hispanic or Latino

# Suicide Rates, Hispanic & Single Race 6, Females Females, 2018-2023







e Alan = American Indian/Alaska Native
Asian = Asian

NHOPI = Native Hawaiian or Other Pacific Islander

Black/Afr American = Black/African American

Key

MT1R = More Than 1 Race

White = White

Hispanic = Hispanic or Latino

Red line indicates the national average for Females for the 6-year period 2018-2023, at 6.0 per 100,000 population.

Increases AIAN Females, White Females High Rates

Race code for Single Race 6 only available starting in 2018.

#### Suicide Methods, Race & Hispanic Origin

Method Deaths	Rate	% of Total
---------------	------	------------

Method Deaths Rate % of Total
-------------------------------



American Indian or Alaska Native					
Suffocation	6.3	44.1%			
Firearm	260	5.8	40.8%		
Poisoning	49	1.1	7.7%		
All Other	47	1.0	7.4%		
Total	637	14.2	100.0%		



Native Hawaiian or Other Pacific Islander					
Suffocation 66 7.3 4					
51	5.7	35.9%			
10	1.1	7.0%			
15	1.7	10.6%			
142	15.8	100.0%			
	66 51 10 15	66       7.3         51       5.7         10       1.1         15       1.7			

2023



Asian			
Suffocation	542	2.5	37.6%
Firearm	444	2.1	30.8%
Poisoning	197	0.9	13.7%
All Other	260	1.2	18.0%
Total	1443	6.7	100.0%

White			
Firearm	23825	9.5	56.4%
Suffocation	9981	4.0	23.6%
Poisoning	5268	2.1	12.5%
All Other	3185	1.3	7.5%
Total	42259	16.8	100.0%

More than on	ie race		
Firearm	335	3.2	44.8%
Suffocation	252	2.4	33.7%
Poisoning	74	0.7	9.9%
All Other	87	0.8	11.6%
Total	748	7.2	100.0%

Black or African American					
Firearm	2385	5.2	58.4%		
Suffocation	901	2.0	22.0%		
Poisoning	351	8.0	8.6%		
All Other	450	1.0	11.0%		
Total	4087	8.9	100.0%		

Not Hispanic or Latino					
Firearm	25019	9.3	57.1%		
Suffocation	9935	3.7	22.7%		
Poisoning	5428	2.0	12.4%		
All Other	3472	1.3	7.9%		

43854

16.3

100.0%

Hispanic or L	atino		
Firearm	2198	3.4	41.6%
Suffocation	2040	3.1	38.6%
Poisoning	490	8.0	9.3%
All Other	553	8.0	10.5%
Total	5281	8.1	100.0%


Rates per 100,000 population

Suppressed = <10 deaths

Top 3 methods consistent; Suffocation 1<sup>st</sup> in some groups, for all other groups Firearms 1<sup>st</sup> as for Nation

Total

#### Overdose Deaths by Cause, 1999-2023



Unintentional
(accidental)
Overdoses
have
increased
dramatically,
while
Intentional
(suicide)
Overdoses
have changed
little from
1999 to 2023

1999-2023 Drug Poisonings (overdose)

# Suicide Thoughts & Behavior: Older Adults

Based on pooled 2021 and 2022 NSDUH data, in the past year:



- 1.7% of Older Adults had thoughts of suicide Women 1.6% (0.7 million); Men 1.7% (0.6 million)
- Indicates: 1 in 50 Older Adults had serious thoughts of suicide



- 0.3% of Older Adults made a suicide plan -Women 0.3% (0.1 million); Men 0.4% (0.1 million)
- Less than 1% of Older Adults (Women or Men) made a suicide plan



Keep in mind: The proportions and numbers of Older Adult Men and Women had similar levels of suicide thoughts, plans, and attempts in the past year, but Older Adult Men's suicide deaths occur at far higher levels than for Older Adult Women

NSDUH: National Survey on Drug Use and Health

National Council for Suicide Prevention

### Costs\* Associated with Suicide

#### Suicide is associated with substantial monetary cost

The Centers for Disease Control and Prevention on its WISQARS website, provides the following "cost" associated with suicide in the last 5 years.

These estimates include medical costs as well as the cost of the loss of the life of the individual who dies by suicide

Year	Deaths	Medical Costs Total	Medical Costs Average	Value of Statistical Life Total	Value of Statistical Life Average	Combined Costs Total	Combined Costs Average
2018	48,344	\$265.21M	\$5,486	\$512.95B	\$10.61M	\$513.22B	\$10.62M
2019	47,511	\$262.37M	\$5,522	\$501.15B	\$10.55M	\$501.41B	\$10.55M
2020	45,979	\$260.57M	\$5,667	\$482.84B	\$10.50M	\$483.10B	\$10.51M
2021	48,183	\$266.02M	\$5,521	\$505.79B	\$10.50M	\$506.05B	\$10.50M
2022	49,476	\$269.91M	\$5,455	\$514.35B	\$10.40M	\$514.62B	\$10.40M
2023	49,316	\$267.00M	\$5,414	\$512.99B	\$10.40M	\$513.26B	\$10.41M
Total	288,809	\$1.59B	\$5,509	\$3.03T	\$10.49M	\$3.03T	\$10.50M

M = Million; B = Billion; T = Trillion; "Average" = cost per each death

In addition to medical costs, the largest component of cost is "value of statistical life" which considers years of living that are lost (work productivity, contributions to family and society for example) when one dies.

It is not possible, of course, to measure the full range of costs or the "value" of social, economic, psychological and emotional losses to the suicide loss survivors

National Council for Suicide Prevention


# High School-Aged Suicide

Ages 15-18 years

Young males of high school age have higher rates than young females

Increases from 1999 for both young males and females






# High School-Aged Suicide Ages

Ages 15-18 years


Rates increase with age for those 15-18 years of age

Increases from 1999 for all individual ages



### American Indian & Alaska Native Suicide Rates and Numbers






The AIAN suicide rate has exceeded the national rate from 2020-2022 and has increased over time

Similarly, the number of AIAN suicides has increased over time

AIAN = American Indian & Alaska Native




1999-2023 data

Data source: CDC WONDER bridged data 1999 to 2017, single race data 2018 to 2023

### American Indian & Alaska Native Suicide Rates by Age





10-yr age group data

AIAN suicide rates peak in young ages at rates greater than the nation, while the nation peaks in late life


AIAN = American Indian & Alaska Native




# Military Suicides:

#### Military Suicides by Sex and Race, 2023

Military suicides highest among males and Whites





★ Figures in unlisted Reserve and National Guard branches excluded because number of deaths were below reportable levels.


Overall Suicide Rate 25.6 per 100,000

All groups include those in Army, Marine Corps, Navy, and Air Force branches.

Source: U.S. Department of Defense (2024), Annual Suicide Report: Calendar Year 2023

### Young (5-24 years) State Suicide Rates

#### Young Suicide generally highest in the Mountain States



5-24 years of age

*2023* 









The Jed Foundation

SAMARITANS USA working together to prevent suicide

# Members of the National Council for Suicide Prevention



Active Minds activeminds.org

American Association of Suicidology suicidology.org

American Foundation for Suicide Prevention afsp.org

The Jason Foundation, Inc. jasonfoundation.com

The Jed Foundation jedfoundation.org

Samaritans USA samaritansusa.org

The Trevor Project thetrevorproject.org







www.thencsp.org

#### Slides produced and © by

# John L. McIntosh, Ph.D.

Professor Emeritus of Psychology

Indiana University South Bend

jmcintos@iu.edu

https://jmcintos.pages.iu.edu

With assistance by



# ional Council for suicide Prevention

# Christopher W. Drapeau, Ph.D.

Visiting Scholar
The Irsay Institute at Indiana University cdrapeau@iu.edu



If you or someone you know is struggling or in crisis, help is available.

Call or text 988 or chat <u>988lifeline.org</u>